



2005 Osco Freightliner Elliptical Tanker

## Contact Us

Office : 256.776.7786  
Email : [sales@firetruckmall.com](mailto:sales@firetruckmall.com)  
Website: [www.firetruckmall.com](http://www.firetruckmall.com)

15410 US Highway 231,  
Union Grove, AL 35175  
Stock #: 13454  
Price: Sold and Delivered

- 2005 Osco Freightliner Elliptical Tanker
- 260 HP Engine
- 2000 Gallon Polypropylene Tank
- Freightliner Chassis
- Allison Automatic Transmission
- AUXILARY PUMP:
  - CET PFP-14HPKHL- gas powered pump in driver side compartment
  - Kohler 14 Hp. Electric start gas engine
  - 375 GPM @ 5 PSI for transfer operations
  - 200 GPM @ 50 PSI
  - 90 GPM @ 75 PSI
  - (1) 3" Tank to pump line
  - (1) 2.5" discharge with ¼ turn ball valve plumbed up into driver side hose tray
- Refurbished Chassis
- CET 375 GPM Pump
- Tank openings:
  - (1) 3" opening in rear street side of tank
  - (1) 4" opening in rear curb side of tank
  - (1) 4" box sump located front bottom center to supply pump
- Dump Valve:
  - (1) 10" Mild steel Newton dump valve on rear of tank
  - Manual dump valve actuation – top pull 180 degree swivel with 36" manual slide-out extension
  - Mild steel valve, swivel and extension (painted red)

○ Additional equipment not included with purchase unless otherwise listed. Mileage readings may not be real-time and should be confirmed.

○ Standard Features:

¾" and ½" Polypropylene construction  
Primed and painted finish to match the chassis  
(2) electronic water level gauges –  
- (1) Class 1 LED ITL-40 Display on pump panel driver side  
- (1) Whelen PSTANK LED Large display on top rear center of tank  
6" Internal Vent  
Aluminum ladder  
Scene light and beacon light brackets  
Polypropylene conduit for wires  
Mild steel skid (Hot Dip Galvanized)  
10" Mild steel manual Newton dump(rear)  
All tanks are spring mounted to chassis in the front and middle and solid mounted in rear

Baffling:

NFPA Baffling

Includes: - Transverse baffles

- Longitudinal baffles

- 23" manhole w/ 10" flip lid

Options Included:

(1) Aluminum diamond tread catwalks mounted on both sides of tank

(1) Aluminum Hose Tray mounted on street side of tanker

(2) Aluminum diamond tread 48" wide x 26" tall x 26" deep toolbox with swing open doors

(1) Portable tank rack – Aluminum fully enclosed diamond tread material

Polished aluminum wheels on front axle

Polished aluminum wheels on rear axle

New 11R22.5 Tires on front axle

80% Virgin tires on rear axle

Axle Weights: Front – 12,000# Rear – 21,000#

Inter-axle differential lock

Air conditioning

AM/FM radio

Air horns underneath cab

LED Dot lights on the apparatus

Check truck alignment

DOT Inspected when complete



Brindlee Mountain Fire Apparatus is one of the world's largest used fire truck sales and service companies. Based just outside of Huntsville, Alabama, the company has forty-five full-time personnel occupying over 12,000 square feet. Our mechanics, all of whom are EVT certified, perform pump tests, general repairs, preventative maintenance, and body, collision, and paint work on over 500 used fire trucks every year. Visit us online at [www.firetruckmall.com](http://www.firetruckmall.com)