BRINDLEE MOUNTAIN



2010 Osco Kenworth Elliptical Tanker

Contact Us

Office: 256.776.7786

Email: sales@firetruckmall.com Website: www.firetruckmall.com

15410 US Highway 231, Union Grove, AL 35175

Stock #: 13455

Price: Sold and Delivered

- 2010 Osco Kenworth Elliptical Tanker
- O Berkeley 550 GPM Pump
- T-370 Kenworth Chassis
- 2000 Gallon Tank

100 PSI Max discharge pressure
(1) 3" discharge on driver side between
cab and tank with valve and 2.5" fitting
(1) 3" discharge on passenger side
between cab and tank with valve and 2.5"

centrifugal pump

Allison Automatic Transmission

Berkeley B2-1/2ZRMS PTO driven

550 GPM Max discharge volume

O Pump:

fitting

- (1) 1.5" Pre-connect discharge in driver side hose tray
- (1) 3" Pump Intake (No auxiliary suction)
- All mild steel plumbing and manifolds
- Quick drop out for repairs
- Includes stainless pump panel, gauges, electronic water level gauge, discharge and suction caps, and labels
- O GVWR: 12,000
- Additional equipment not included with purchase unless otherwise listed. Mileage readings may not be real-time and should be confirmed.

- O Tank openings:
 - (1) 3" opening in rear street side of tank Valve and male NST fitting on rear of tank 2.5"
 - (1) 3" opening in rear curb side of tank Valve and male NST fitting on rear of tank 2.5"
 - (1) 4" box sump located front bottom center to supply pump with 4" Air operated valve

O Standard Features:

12-Gauge 304-grade Stainless construction

#4 Satin Finish

Rear sight gauge

6" Internal Vent

Stainless steel ladder

Stainless steel light brackets

Stainless steel conduit for wires

Mild steel skid

All tanks are spring mounted to chassis in the front and middle and solid mounted in rear

All tanks are back welded (all interior seams are welded and polished for added strength)

Baffling:

Standard Baffling

Includes: - 2 transverse baffles

- 20" manhole w/ 10" flip lid

Options Included:

- (1) Stainless steel catwalks on driver and passenger side
- (2) Aluminum storage compartment on driver and passenger side
- 48" x 24" x 24" smooth aluminum doors
- Gas shocks on doors
- interior compartment light
- (1) Stainless steel hose tray on driver side catwalk
- (1) Stainless steel hose tray on passenger side with catwalk for hard suction
- (1) 10" Mild steel Newton dump on rear of tank Manual operation
- (1) Manual swing down porta-tank rack on passenger side

Built to fit 2100 gallon "Fol-da-tank" Aluminum matching painted cover

- (2) Painted steel wheels on front axle
- (2) Painted steel wheels on rear axles

New Virgin tires on front

New virgin tires on rear axles

Rear axle gear ratio: 4:56

Air ride suspension

Air ride seat driver side

Stationary seat on passenger seat

AM/FM radio

Air horns underneath cab

Front and rear tow hooks



Brindlee Mountain Fire Apparatus is one of the world's largest used fire truck sales and service companies. Based just outside of Huntsville, Alabama, the company has forty-five full-time personnel occupying over 12,000 square feet. Our mechanics, all of whom are EVT certified, perform pump tests, general repairs, preventative maintenance, and body, collision, and paint work on over 500 used fire trucks every year. Visit us online at www.firetruckmall.com