



Contact Us

Office : 256.776.7786
Email : sales@firetruckmall.com
Website: www.firetruckmall.com

15410 US Highway 231,
Union Grove, AL 35175
Stock #: 19454
Price: Sold and Delivered

2017 Osco Freightliner Commercial Elliptical Tanker

- 2017 Osco Freightliner Commercial Elliptical Tanker
 - Detroit DD13 350 HP Diesel Engine
 - Tank to come with a lifetime warranty
- WATER PUMP SYSTEM:
- Berkeley B3 PTO driven centrifugal pump
- 750 GPM Max Discharge
- 70 PSI Max Pressure
- (1) 2.5" discharge on driver side between cab and tank with valve and 2.5" fitting
- (1) 2.5" discharge on passenger side between cab and tank with valve and 2.5" fitting
- (1) 1.5" Pre-connect discharge on driver side catwalk – 150' Capacity – Vinyl Cover
- (1) 2" Pump recirculation / tank fill line
- (1) 1.5" Aquatrol relief valve to drain to the ground – Set at 120 PSI
- All stainless-steel plumbing and manifolds
- M2-112 tandem axle Freightliner Chassis
 - Allison 3000 RDS Automatic Transmission
 - 3/4" and 1/2" Polypropylene construction
 - Primed and painted finish to match the chassis
 - 6" Internal Vent
 - Scene light and beacon light brackets
 - Polypropylene conduit for wires
 - Hot Dip Galvanized Sub-frame
 - All tanks are spring mounted to chassis in the front and middle and solid mounted in rear
 - Electronic Water Level Gauges:
 - (1) Class 1 ITL-40 Electronic water level gauge on pump panel
 - (1) Whelen PSTANK Electronic water level gauge on rear of tank
 - TANK OPENINGS:
 - (1) 3" opening in rear street side of tank - Butterfly Valve and male NST fitting on rear of tank – 2.5"
 - (1) 4" opening in rear curb side of tank – Butterfly Valve and male NST fitting on rear of tank – 4"
 - (1) 4" box sump located front bottom center to supply pump with 4" Air operated valve
 - DUMP VALVE:
 - (1) 10" Newton dump valve on rear – Stainless steel with manual actuation
 - (1) 10" Newton SWIVEL attachment on rear dump valve
 - (1) 10" Slide-out extension on rear swivel
 - ** 2025 Fire Body, Pump & Tank **
 - 3000 Gallon Polypropylene Tank
 - Additional equipment not included with purchase unless otherwise listed. Mileage readings may not be real-time and should be confirmed.



APPARATUS BODY ACCESSORIES:

(2) Aluminum diamond tread catwalks, one each side

(2) Aluminum diamond tread storage compartments

Aluminum swing-open doors on each compartment

60" x 26" x 26" Compartment on driver side

60" x 26" x 26" Compartment on passenger side

LED interior compartment lights

Sweep-out floors

(2) Aluminum hose tray on driver and passenger side catwalk

(1) Electric swing down porta-tank rack on passenger side

Built to fit 3500 gallon "Fol-da-tank"

Aluminum diamond tread cover

(2) Polished Aluminum wheels on front axle

(2) Polished Aluminum wheels on rear axles

New Virgin tires on front

New virgin tires on rear axles

Rear axle gear ratio: 5.29

Air ride suspension

Air ride seat driver side

Stationary seat on passenger seat

AM/FM radio

Air conditioning and Heater

Air horns underneath cab

Front and rear tow hooks

Two New batteries

MISCELLANEOUS ITEMS:

4" Reflective stripping on each side of apparatus

Chevron striping on lower rear section of tanker

Rear vision camera system

Infrared rear camera for night vision

7" LCD screen in cab

Audio for sound in cab

Kussmaul Auto-charge kit with battery conditioner and auto-ejecting plug-in

Kussmaul Air auto-ejecting plug-in



Brindlee Mountain Fire Apparatus is one of the world's largest used fire truck sales and service companies. Based just outside of Huntsville, Alabama, the company has forty-five full-time personnel occupying over 12,000 square feet. Our mechanics, all of whom are EVT certified, perform pump tests, general repairs, preventative maintenance, and body, collision, and paint work on over 500 used fire trucks every year. Visit us online at www.firetruckmall.com