



Contact Us

Office : 256.776.7786
Email : sales@firetruckmall.com
Website: www.firetruckmall.com

15410 US Highway 231,
Union Grove, AL 35175
Stock #: 19712
Price: \$250,000

2018 Osco Freightliner Elliptical Tandem-Axle Tanker

☐ 2018 Osco Freightliner Elliptical
Tandem-Axle Tanker

☐ M2-106 Freightliner Chassis

☐ ** 2025 Fire Body, Pump & Tank **

☐ Cummins L9 330 HP Diesel Engine

☐ Allison Automatic Transmission

☐ 750 GPM Pump

○
TANK:

- Tank to come with a lifetime warranty.

Standard Features:

- 3/4" and 1/2" Polypropylene construction
- Primed and Painted finish
- 6" Internal Vent
- Scene light and beacon light brackets
- Polypropylene conduit for wires
- Hot Dip Galvanized Sub-frame
- All tanks are spring mounted to chassis in the front and middle and solid mounted in rear

TANK OPENINGS:

(1) 3" opening in rear street side of tank -
Valve and male NST fitting on rear of tank
– 2.5"

(1) 3" opening in rear curb side of tank -
Valve and male NST fitting on rear of tank
– 2.5"

(1) 4" box sump located front bottom
center to supply pump with 4" Air operated
valve

DUMP VALVE:

(1) 10" Newton dump valve on rear –
Stainless steel painted with manual
actuation

(1) 10" Newton SWIVEL attachment on
rear dump valve

(1) 10" Slide-out extension on rear swivel

WATER PUMP SYSTEM:

750 GPM PTO transfer pump

(3) 2.5" Discharges with stainless steel ball
valves, NST fittings, caps and chains

- Two (2) located on driver side

- One (1) located on passenger side

(1) 5" Suction on driver side with 5" Long handle chrome cap

(1) 1.5" Pre-connect discharges

Located in driver side hose tray with 1.5" NH swivel fitting

(1) Class 1 Twister throttle and ENFO IV on pump panel

- All stainless-steel plumbing and manifolds

- Quick drop out for repairs

- Includes stainless pump panel, gauges, discharge and suction caps, and labels

(1) Class 1 ITL 40 Electronic water level gauge on pump panel

(1) Whelen PSTANK Monster Electronic water level gauge on rear of tank

○ Additional equipment not included with purchase unless otherwise listed. Mileage readings may not be real-time and should be confirmed.

○ GVWR: 54,600

○ APPARATUS BODY ACCESSORIES:

(2) Aluminum diamond tread catwalks, one each side

(2) Aluminum diamond tread storage compartments

Aluminum swing-open doors on each compartment

60" x 26" x 26" Compartment on driver side

60" x 26" x 26" Compartment on passenger side

LED interior compartment lights

Sweep-out floors

(1) Aluminum hose tray on driver side catwalk

(1) Manual swing down porta-tank rack on passenger side

Built to fit 3000 gallon "Fol-da-tank"

Aluminum diamond tread cover or matching painted cover

CHASSIS:

2018 Freightliner M2-106 tandem axle

Color: RED

Motor: Cummins L9 330 Hp / 1050 lb./ft. of torque (Can be turned up if needed)

Transmission: Allison Automatic transmission

Aluminum wheels on front axle

Aluminum wheels on rear axle

12R x 22.5 Tires on front axles

11R x 22.5 tires on rear axles

14,600# front axle capacity

40,000# rear axle capacity

5.29 Rear axle ratio

Kenworth Air Ride suspension

Inter-axle Differential Lock

Air conditioning

AM/FM Radio

Tow hooks front and rear – Recessed hooks on rear

Master battery disconnect

DOT Inspection when completed

MISCELLANEOUS ITEMS:

4" Reflective stripping on each side of apparatus

Chevron Striping on rear

- Alternating 6" RED/LIME YELLOW High Intensity reflective tape

Rear View Camera System

- 7" Color screen in top center of cab

- Infrared rear camera with audio

- Camera to come on automatically when truck shifts into reverse



Brindlee Mountain Fire Apparatus is one of the world's largest used fire truck sales and service companies. Based just outside of Huntsville, Alabama, the company has forty-five full-time personnel occupying over 12,000 square feet. Our mechanics, all of whom are EVT certified, perform pump tests, general repairs, preventative maintenance, and body, collision, and paint work on over 500 used fire trucks every year. Visit us online at www.firetruckmall.com